

Dextron Heatshrink

Foot operated impulse bag sealers on pedestal c/w adjustable work table and foot control for ease of sealing.

Advantages & Features:

- Available in various widths
- Strong seal every time
- Adjustable timer for all types of films
- Adjustable work table and foot pedal
- 240V x 10amps



ME-300-FI "Standard Sealer"

Foot Operated Heat Sealers			
Model No:	Seal size	Seal width	Max Seal thickness
ME-300-FI	300mm	2mm	2 x 150um
ME-450-FI	450mm		
ME-600-FI	600mm		
ME-800-FI	800mm		
ME-300-FIT	300mm		
ME-450-FIT	450mm		
ME-600-FIT	600mm		

5mm seal width also available

Advantages & Features:

- Available in various widths
- Adjustable angle for liquids, powders & grains
- Adjustable timer for all types of films
- Adjustable work table and foot pedal
- 240V x 10amps



ME-600-FIT Adjustable angle

Whatever the application, Dextron Heatshrink has a system to suit all products. Call us to discuss your requirements.

www.redblade.com.au

3 Elliot Street, Albion, Queensland 4010

Phone: 07 32622344 Fax: 07 32622074

Email: sales@redblade.com.au

Dextron Heatshrink

Foot operated impulse bag sealers on pedestal c/w adjustable work table and foot control for ease of sealing.

Advantages & Features:

- Available in various widths
- Strong seal every time
- Double seal bars top & bottom
- Excellent for heavy duty applications
- Fuses heavy material from both sides at the same time
- Adjustable work table and foot pedal
- 240V x 10amps



ME-450-FD "Double seal" for heavy duty materials

"Double Seal" Foot Operated Heat Sealers			
Model No:	Seal size	Seal width	Max Seal thickness
ME-305-FD	300mm	5mm	2 x 400um
ME-455-FD	450mm		
ME-605-FD	600mm		
ME-3010-FD	300mm	10mm	
ME-4510-FD	450mm		
ME-6010-FD	600mm		

Whatever the application, Dextron Heatshrink has a system to suit all products. Call us to discuss your requirements.

www.redblade.com.au

3 Elliot Street, Albion, Queensland 4010

Phone: 07 32622344 Fax: 07 32622074

Email: sales@redblade.com.au

Dextron Heatshrink

Foot operated impulse bag sealers on pedestal c/w adjustable work table and foot control for ease of sealing.

Advantages & Features:

- Available in various widths
- Strong seal every time
- Vertical seal head for powder, grain & liquids
- Electronic floor switch for sealing
- Double seal bars top & bottom
- Fuses heavy material from both sides at the same time
- Adjustable work table
- 240V x 10amps



ME-305-FDV "Double Seal" for heavy duty materials

Automatic "Double Seal" Foot Operated Heat Sealers			
Model No:	Seal size	Seal width	Max Seal thickness
ME-305-FDV	300mm	5mm	2 x 500um
ME-455-FDV	450mm		
ME-605-FDV	600mm		
ME-3010-FDV	300mm	10mm	
ME-4510-FDV	450mm		
ME-6010-FDV	600mm		

Whatever the application, Dextron Heatshrink has a system to suit all products. Call us to discuss your requirements.

www.redblade.com.au

3 Elliot Street, Albion, Queensland 4010

Phone: 07 32622344 Fax: 07 32622074

Email: sales@redblade.com.au

Dextron Heatshrink

Foot operated impulse bag sealers on pedestal c/w adjustable work table and foot control for ease of sealing.

Advantages & Features:

- Available in various widths
- Strong seal every time
- Upper jaw sealing
- Protect element from moisture
- Adjustable timer for all types of films
- Adjustable work table and foot pedal
- 240V x 10amps

Upper Jaw Foot Operated Heat Sealers			
Model No:	Seal size	Seal width	Max Seal thickness
ME-300-FIU	300mm	2mm	2 x 150um
ME-450-FIU	450mm		
ME-600-FIU	600mm		

5mm seal width also available



ME-450-FIU "Upper Jaw sealer"

Whatever the application, **Dextron Heatshrink** has a system to suit all products. Call us to discuss your requirements.

www.redblade.com.au

3 Elliot Street, Albion, Queensland 4010

Phone: 07 32622344 Fax: 07 32622074

Email: sales@redblade.com.au

Dextron Heatshrink

As part of our range of sealers, the Constant Heat Sealers are an efficient method of sealing Foils and Cellophane bags.

Advantages & Features:

- Constant Heat bars
- Foot operated
- Cellophane & Foil applications
- Choice of Manual or auto models
- Temperature adjustments
- 240V x 10 amps



Automatic Table Top
Constant Heat Sealer ME-600-CFA

Constant Heat Sealers			
Model No:	Seal size W x D	Seal Temperature	Max Seal thickness
ME-200-CFN	200mm x 15mm	Adjustable	2 x 250um
ME-300-CFN	300mm x 15mm		
ME-400-CFN	400mm x 15mm		
ME-200-CFA	200mm x 15mm		
ME-300-CFA	300mm x 15mm		
ME-400-CFA	400mm x 15mm		
ME-600-CFA	600mm x 15mm		
ME-200-CFV	200mm x 15mm		
ME-300-CFV	300mm x 15mm		
ME-400-CFV	400mm x 15mm		
ME-600-CFV	600mm x 15mm		

Vertical Automatic Constant
Heat Foot Sealer ME-300-CFV



Constant Heat Foot Sealer
ME-300-CFN



Whatever the application, **Dextron Heatshrink** has a system to suit all products.
Call us to discuss your requirements.

www.redblade.com.au

3 Elliot Street, Albion, Queensland 4010

Phone: 07 32622344 Fax: 07 32622074

Email: sales@redblade.com.au